

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

- 1 1. (currently amended) A water jet spray device
2 comprising a body ~~(1)~~ delimiting a chamber ~~(5)~~ for
3 housing a filter ~~(10)~~, the chamber ~~(5)~~ opening, through
4 an interposed perforated plate ~~(15)~~, onto a main face ~~(3)~~
5 of the body ~~(1)~~ and, via an opening ~~(17)~~ which can be
6 sealed by a first removable stopper ~~(19)~~, toward a front
7 face ~~(4)~~ of the body ~~(1)~~, the perforated plate ~~(15)~~ being
8 slidably mounted in a housing ~~(16)~~ which opens, via a
9 hole ~~(22)~~ which can be sealed by a second stopper ~~(21)~~,
10 toward the front face ~~(4)~~ of the body ~~(1)~~, characterized
11 in that
12 - the opening ~~(17)~~ and the hole ~~(22)~~ open into a
13 common well formed in the body ~~(1)~~ and provided with a
14 complementary opening and with a complementary hole ~~(25)~~
15 facing the opening and the hole respectively,
16 - a pin ~~(20)~~ is inserted removably into the well
17 ~~(18)~~ through bores made in the stoppers so as to retain
18 the two stoppers ~~(19, 21)~~ therein in the sealing position
19 when it is fully inserted therein.

1 2. (currently amended) The device as claimed in
2 claim 1, characterized by first means for locking the pin
3 ~~(20)~~ in the position in which it retains the two stoppers
4 ~~(19, 21)~~ in the sealing position.

1 3. (currently amended) The device as claimed in
2 claim ~~1~~ or 2, characterized by second means for locking
3 the pin ~~(20)~~ in an intermediate position in which it
4 retains the first stopper ~~(19)~~ in the position for
5 sealing the opening ~~(17)~~ and stops retaining the second
6 stopper ~~(21)~~ in the position for sealing the hole ~~(22)~~.

1 4. (currently amended) The device as claimed in
2 claim ~~2~~ or 3, characterized in that the first and second
3 locking means consist of respective peripheral grooves
4 ~~(28, 29)~~ formed on the outer face of the pin and
5 cooperating with a removable finger ~~(30)~~ entering the
6 grooves radially.

1 5. (currently amended) The device as claimed in ~~one~~
2 ~~of the preceding claims~~ claim 4, characterized in that
3 the pin has means for acting on a control ~~(9)~~ of a device
4 ~~(8)~~ for supplying the chamber with water so as to allow
5 supply only when the pin ~~(20)~~ is fully inserted into the
6 well ~~(18)~~.

1 6. (new) The device as claimed in claim 1,
2 characterized in that the pin has means for acting on a
3 control of a device for supplying the chamber with water
4 so as to allow supply only when the pin is fully inserted
5 into the well.